

Doha



Dongsung
CORP.




DOHAINDUSTRY
www.doha.co.kr

WRAS 60°C

Your choice for clean and healthy water

DOHA Clean Tank

- External Reinforcement System
- Internal Reinforcement System



WRAS
APPROVED
PRODUCT



www.tangkipanelfrp.com





High Quality SMC Panel Water Tank

World Best Quality And Technology


WRAS 60°C



Dongsung
CORP.



External reinforcement design that is structurally safe without internal reinforcement material.



Fast Installation



DOHA Clean Tank





Specification and space for concrete fondation

Based on PAD production

Width : More than 400mm
Height : More than 600mm(including base frame)
Interval distance : Less than 1m at maximum
Outline dimension : W,L+400mm
Horizontal degree : Less than 1/500(Maintains smoothness at the upper part)


<Drawing for reference>
ex) 3Wx4Lx2H




Installation space

A space for 600mm apart from the walls in four directions(1000mm for the upper part) is required for the installation of a tank and for its inspection and maintenance.

Standard composition of side panels by height



Kinds and Shapes



World Best Quality And Technology

DOHA Industry is a company that leads in protecting clean environment and nature preservation.

High Quality / **SMC Panel** / **Water Tank**



- Round Corner Structure (outside top)



Cooperation : Bioseptic - DongSung Korea

PT Bioseptic Waterindo Abadi

Office : Gading Bukit Indah Blok M no 3, Jakarta 14240

Workshop : Kawasan Industri Marunda Center Blok H-1 no 26

Tel : (+6221) 453-1391, Fax (+6221) 4585-2371

e-mail : info@tangkipanelfrp.com / info_bioseptic@yahoo.co.id

website : www.bioseptic.co.id - www.tangkipanelfrp.com



JAS-ANZ



ISO 9001 Certified ISO 14001 Certified BS OHSAS 18001 Certified

